'Sweety' Triumph Group
L.J.C. Schoorl, 1983. Exterior: ivory white with broad roseine purple to rose bengal feathered edge, on outer tepals a tall mimosa yellow flame and mimosa yellow blotches; inside: amaranth rose feathered tepals, throat creamy white, base tawny yellow, anthers chrome yellow.
Height 50 cm

'Swell' (Darwin Group) see Classified List 1958

'Swift' (Triumph Group) see Classified List 1958

'Swinging World' PBR not yet KAVB registered

'Sylphide' (Triumph Group) see Classified List 1958

sylvestris L. Miscellaneous
florentina hort. ex Baker, *repens* Fisch. ex Sweet, *tchitounyi* Azn., *thirkeana* K. Koch
Described 1753: W. Africa, Europe, Asia Minor, N.W.-Iran. Yellow, back of tepals greenish, clear bright yellow within. Sweet scented. (2n = 48)
Height 30 cm

sylvestris L. var. **major** Boom Miscellaneous
Yellow, sweet scented. Large flowered form with 8 tepals.
Height 30 cm

sylvestris L. **'Tabriz Variety'** Miscellaneous
Tubergen, 1933. Iran. Lemon yellow, exterior green; sweet scented.
Height 30 cm
AM-KAVB 1933

'Sylvia Philips' Triumph Group
Van den Berg-Hytuna, 1995. Exterior sulphur yellow (CC 6b). Inside sulphur yellow (CC 6a), base aureolin (CC 12a). Filaments lemon yellow (CC 14a), pollen mimosa yellow (CC 8a). Ovary scheele's green (CC 144c), stigma chartreuse green (CC 154c). Stem lettuce green (CC 144a), leaves fern green (CC 146a).
Height 45 cm

'Sylvia van Lennep' Fosteriana Group
Sport of **'Analita'**
Hybrida, 1965. Signal red, base yellowish black, edged yellow, anthers black. (2n = 24)
Height 35 cm

'Sylvia Warder' Greigii Group
L. Stassen Jr., 1967. Exterior claret rose, edged primrose yellow; inside barium yellow, flamed scarlet, base buttercup yellow, blotched bronze green, anthers yellow. Leaves mottled.
Height 35 cm

'Symbol' (Darwin Group) see Classified List 1958

'Sympathy' Triumph Group
IVT, Westfriese Bloembollenkwekers, 1991. Exterior blood red (CC 46b); base chartreuse green (CC 1c) with on the inner tepals a stripy black blotch. Inside blood red (CC 45a/b). Base black, bordered with canary yellow (CC 9b) rim. Filaments and pollen black. Ovary scheele's green (CC 143c), stigma yellow green (CC 145c).
Height 45 cm

'Symphonia' Double Late Group
Sport of **'Pride of Haarlem'**
F. Roozen, 1939. Cherry red. (2n = 24)
Height 60 cm
AM-KAVB 1939

'Synaeda King' Lily-flowered Group
Tulip Flower, Oosterbaan, 1995. Exterior currant red (CC 47a) with broad canary yellow (CC 7a) edge; base canary yellow (CC 7d), darker on the inner tepals (CC 7a). Inside aureolin (CC 12a), top two third of tepal tomato red (CC 44a) edged. Filaments and pollen black brown (CC 200a). Ovary scheele's green (CC 144c), stigma sap green (CC 150c). Stem and leaves fern green (CC 146a).
Height 50 cm

'Syncom' (Triumph Group) see Classified List 1976

'Synope' Double Late Group
Segers, 1944. Carmine red, edged pure white.
Height 55 cm
AM-KAVB 1950

systola Stapf Miscellaneous
Described 1885: Turkmenistan, Iran, Iraq, Palestine, Cyprus. Nasturtium red to brownish crimson, usually a short black basal blotch. (2n = 24)
Height 25 cm

'Szymanowski' Single Late Group
RIPF, 1986. Exterior spinel red, edged carmine, outer base greenish white; inside claret rose, base pale yellow, anthers purple.
Height 55 cm

'Tableau de Rubens' (Bijbloemen Group) see Classified List 1958

'Tabriz Variety' see **sylvestris 'Tabriz Variety'**

'Tahiti' Triumph Group
Van Zanten Bros., 1964. Exterior orient red, outer base greenish yellow; inside dutch vermilion, base lemon yellow, anthers bluish black. (2n = 24)
Height 45 cm

'Tailleux' Double Early Group
Sport of **'Murillo Maxima'**
Van Reisen & Sons, 1960. Deeper rose than **'Murillo Maxima'**.
Height 25 cm

'Tak van Poortvliet' see **'Minster Tak van Poortvliet'**

'Talbion' Lily-flowered Group
IVT, Th. Timmerman, 1982. Exterior flamed barium yellow on dresden yellow ground; inside sulphur yellow, base bronze yellow.
Height 50 cm

talievii Vved. Miscellaneous
Central Asia; Tien Shan. China: Dzungaria. Exterior cream with grey and a pinkish tinge; inside cream, basal blotch yellow. One to three flowers per stem.

'Talisman' Single Late Group
G.W. Hardy, before 1860. Dark slaty purple. (English Breeder: Bijbloemen) Historical collections only.

'Talisman' Rembrandt Group
G.W. Hardy, before 1860. Broken **'Talisman'**. Purple black on white ground. (Broken English Breeder: Bijbloemen) Historical collections only.

'Tamara' Triumph Group
Visser Czn., 1979. Exterior bright carmine with long pointed ivory white flame, from the outer base blue grey feathered blotches; inside claret rose, broad ivory white base, anthers mimosa yellow.
Height 50 cm

'Tamara' Single Late Group
D.W. Lefeber, 1942. Cherry red. Historical collections only.

'Tamarinda' (Triumph Group) see Classified List 1958

'Tambour Maître' Triumph Group
Colijn & Sons, 1956. Exterior deep cardinal red; inside glowing cardinal red, base yellow. (2n = 36)
Height 55 cm
TGA-KAVB 1956, AM-KAVB 1972

'Tamerlan' (Tubergeniana Group) see Classified List 1958

'Tampere' Triumph Group
IVT, Ropta, 1987. Exterior: mimosa yellow (CC 8b) flame and primrose yellow margin. Inside sulphur yellow (CC 6b/c). Basal spots canary yellow. Anthers barium yellow.
Height 50 cm

'Tanagra' (Double Late Group) see Classified List 1958

'Tangerine Beauty' see **vvedenskyi 'Tangerine Beauty'**

'Tango' Greigii Group
Hybrida, 1952. Exterior orange scarlet; inside orange scarlet, base black with yellow blotches. Leaves mottled. (2n = 36)
Height 40 cm
Sports: **'Easter Surprise'**, **'Golden Tango'**

'Tanja' Single Late Group
Sport of **'Palestrina'**
Smakman, 1988. Exterior turkey red (CC 46c) with long green flame on spinel red ground. Base bluish white. Inside blood red (CC 45b), green and blue flamed base, bordered pale yellow.
Height 45 cm

'Tantalus' Single Late Group
Krelage & Son. Dull yellow, flushed pale purple. (2n = 24)
Height 60 cm
AM-KAVB 1926, FCC-KAVB 1930

'Tarafa' Greigii Group
A. Overdevest Gz., 1955. Exterior lilac rose, edged yellow; inside sulphur yellow, base yellow bronze, edged red. Leaves mottled.
Height 30 cm

'Tarakan' Single Late Group
Nieuwenhuis Bros., 1957. Exterior sulphur; inside buttercup yellow.
Height 60 cm
AM-RHS 1970

'Tarantella' (Double Late Group) see Classified List 1958

tarda Stapf Miscellaneous
dasystemon hort.
Described 1933: Central Asia: Tien Shan. White with a bright yellow base, outside brownish purple. Multiflowered. (2n = 24, 48)
Height 10 cm
BC-RHS 1905, AGM-RHS 1930, AM-KAVB 1937, AM-RHS 1970, AGM-RHS 1993

'Tartini' Kaufmanniana Group
Tubergen, 1952. Exterior carmine red, edged white; inside ivory white, base yellow, edged carmine red. Leaves mottled. (2n = 24)
Height 30 cm

'Tarzan' (Triumph Group) see Classified List 1958

'Tasco' (Cottage Group) see Classified List 1958

'Taschkent' (Greigii Group) see Classified List 1958

'Tawny Gold' (Double Early Group) see Classified List 1958

tchitounyi Azn. see **sylvestris** L.

'Tea Rose' see **'Theeroos'**

'Technicolor' (Double Late Group) see Classified List 1958

'Tecla' PBR Triumph Group
J.J. Schouten, 1977. Exterior claret rose with small canary yellow edge, outer base greenish yellow; inside signal red with broad buttercup yellow edge, base buttercup yellow, anthers plum purple.
Height 45 cm

'Teddy Kollek' Single Late Group
Koninklijke Van Zanten, 1991. Exterior blood red (CC 45a) with on the outer tepals a large cardinal red (CC 53b) flame. Base primrose yellow (CC 3c). Inside blood red (CC 45a/b). Base canary yellow (CC 9a). Filaments canary yellow (CC 9a), pollen canary yellow (CC 7d). Ovary scheele's green (CC 144c), stigma primrose yellow (CC 3c & 3b).
Height 60 cm

'Ted Turner' PBR Triumph Group
A. Nijssen & Sons, Vertuco, 1995. Exterior canary yellow (CC 7a) with a naples yellow (CC 11a) flame on the outer tepals. Inside canary yellow (CC 9a). Filaments, short, canary yellow, anthers dull grey brown (CC 177d), pollen greyish green (CC 193a). Ovary yellow green (CC 145b), stigma chartreuse (CC 1c).
Height 30 cm

'Teenager' Greigii Group
Uittenbogaard & Sons, 1963. Exterior currant red, edged ivory white; inside signal red, edges lightly feathered, base oxblood red, anthers yellow. Leaves mottled.
Height 30 cm

'Teeuwen's Memory' Greigii Group
Hybrida, Belle & Teeuwen, 1962. Exterior blood red; inside blood red, base deep bronzy green, edged yellow. Leaves mottled.
Height 30 cm

'Teheran' Triumph Group
'Jacorma', *'Siam'*
Sport of **'Alberio'**
Colijn & Sons, 1945. Apricot. (2n = 24)
Height 50 cm

'Tel Aviv' (Single Late Group) see Classified List 1987

'Telecom' Triumph Group
Konijnenburg & Mark, 1983. Exterior claret rose, edged dutch vermilion; inside capsicum red to fire red, base canary yellow with yellowish green blotches, anthers lilac purple.
Height 50 cm
AGM-RHS 1995

'Telemark' Triumph Group
Konijnenburg & Mark, 1983. Exterior ivory white with narrow cream coloured flame; inside ivory white with sulphur yellow tinged spots at the edge, aureolin tinged basal blotches, anthers buttercup yellow.
Height 50 cm

'Telescopium' Triumph Group
Zocher & Co. Reddish violet. (2n = 24)
Height 55 cm
FA-KAVB 1932
Sports: (**'Colconda'**), (**'Fedora'**)

'Television' Single Late Group
F. Roozen, 1958. Fiery red, edged orange red, base buttercup yellow.
Height 65 cm

'Telstar' Single Early Group
L. Schoorl, 1963. Exterior blood red; inside signal red, base yellow, anthers yellow.
Height 35 cm

'Tempelhof' (Triumph Group) see Classified List 1958

'Temple of Beauty' Single Late Group
D.W. Lefeber & Co., 1959. Salmon rose, lily shaped flower. Leaves slightly mottled. (2n = 36)
Height 75 cm
TGA-KAVB 1972, AGM-RHS 1993
Sports: **'Blushing Beauty'**, **'Blushing Lady'**, **'Hocus Pocus'**, **'Perestroyka'**, **'Temple's Favourite'**

'Temple's Favourite' PBR Single Late Group
Sport of **'Temple of Beauty'**
D.W. Lefeber & Co., 1984. Exterior flamed carmine rose with broad nasturtium red edge, outer base greenish white; inside indian orange with scarlet vein, base canary yellow with primrose yellow blotches, anthers pale yellow.
Height 75 cm

'Tempo' (Double Late Group) see Classified List 1958

'Tender Beauty' Darwinhybrid Group
Hybrida. Rosy red and white, base pure yellow. (2n = 48)
Height 50 cm
AM-RHS 1954, TGA-KAVB 1972
Sport: **'Ljudmila Zagamulova'**

'Tennison' (Cottage Group) see Classified List 1958

'Tennyo no Mai' Triumph Group
Toyozo Mizuno, 1970. Exterior spiraea red, from the white outer base a broad white purple stripe; inside spiraea red with a large white base, anthers yellow.
Height

'Tessa' Miscellaneous
IVT, Th. Timmerman & Sons, 1993. Exterior: base canary yellow (CC 7b) with on the inner tepals some black brown (CC 200b) and willow green (CC 147a); basal part of tepals blood red (CC 45a), towards the top tomato red (CC 44b). Blood red (CC 45a) flame on outer tepals, towards the top a brown red (CC 34a) glow. Tepals edged tomato red (CC 44a). Inside: base canary yellow (CC 9a) with black brown to black (CC 200a - 202a) blotch on each tepal. Basal half of tepal blood red (CC 45a), top half tomato red (CC 44b). Filaments black brown to black (CC 200a/202a), anthers black brown (CC 200a), pollen bright brown (CC 167a). Ovary paler than lemon yellow (CC 151d), stigma aureolin (CC 12a). Stem lettuce green (CC 144a). Resembles **Tulipa eichleri**.
Height 50 cm

tetraphylla Regel Miscellaneous
corynestemon A.D. Hall, *kesselringii* Regel
Described 1875: Central Asia: E. Tien Shan; China: Dzungaria. Yellow, stained purple outside. (2n = 24, 48)
Height 35 cm

'Teutonia' see **'Caprice'**

'Texas Cocktail' Parrot Group
Sport of **'Texas Gold'**
J.J. van den Berg-Winnubst, 1969. Exterior buttercup yellow, striped claret rose; inside buttercup yellow, feathered and flamed blood red, anthers yellow.
Height 45 cm

'Texas Fire' Parrot Group
Sport of **'Texas Gold'**
Van Graven Bros., 1968. Exterior empire yellow midrib and towards outer base red, tepal edges feathered red; inside pale yellow, feathered currant red, base yellow, edged currant red, anthers yellow black.
Height 45 cm

'Texas Flame' Parrot Group
Sport of **'Texas Gold'**
J.J. de Wit Czn., 1958.
Bright buttercup yellow, flamed carmine red, base green. (2n = 36)
Height 45 cm
AM-KAVB 1960

'Texas Gold' Parrot Group
Sport of **'Inglescombe Yellow'**
G. van der Mey's Sons, 1944.
Deep yellow, narrow red edge. (2n = 36)
Height 45 cm
Sports: **'Texas Cocktail'**, **'Texas Fire'**, **'Texas Flame'**

'Texel' (Triumph Group) see Classified List 1958

'Thais' (Triumph Group) see Classified List 1958

'Thea' (Kaufmanniana Group) see Classified List 1958

'Thea Sea' (Mendel Group) see Classified List 1958

'The Archbishop' (Darwin Group) sport of **'The Bishop'**, see Classified List 1958

'The Bishop' Single Late Group
Krelage & Son, 1908. Violet purple. (2n = 24)
Height 70 cm
Sport: (**'The Archbishop'**)

'The Bride' see **'La Fiancée'**

'The Clown' (Lily-flowered Group) see Classified List 1958

'Theeroos' Double Early Group
'Tea Rose'
Sport of **'Murillo'**
Raiser unknown, 1890. Soft primrose, flushed with salmon. (2n = 24)
Height 25 cm

'The Fawn' Single Late Group
Raiser unknown, before 1901. White suffused with rose, outside with a beam of salmon. Historical collections only.

'The First' Kaufmanniana Group
F. Roozen, 1940. Exterior carmine red, edged white; inside ivory white, base yellow, anthers yellow. (2n = 24)
Height 20 cm

'The Future' Triumph Group
Van Paridon, 1989. Exterior chrome yellow (CC 158c) flame from base to top, claret rose (CC 50a) edged. Inside base chrome yellow (CC 15c and b). Basal half of tepals ivory white (CC 155c) changing into spinel red (CC 54c) to claret rose (CC 50a). Filaments chrome yellow (CC 15c). Ovary and stigma yellow green (CC 145b).
Height 45 cm
TGA-KAVB 1989

'The International' (Darwin Group) see Classified List 1952

'The Lizard' (Broken Dutch Breeder Group) see Classified List 1952

'Themis' Triumph Group
Krelage & Son. White. Historical collections only.

'The Moor' see **'Purperkroon'**

'The Mounties' PBR Triumph Group
Vertuco, World Flower, 1992. Exterior chrysanthemum red (CC 60c), at the top cherry (CC 53c). Base ivory white (CC 155a). Basal half of tepal blood red (CC

45b) edged. Inside ivory white base (CC 155d) with canary yellow (CC 9b) blotch, to the top ruby red (CC 61a) changing into blood red (CC 45b). On the midvein tomato red (CC 45a). The inner tepals with two violet purple (CC 77b) stripes at the top half of the midvein. Filaments ivory white (CC 155d) with sap green (CC 150d) top with deep sea blue (CC 103b) stripes. Pollen bronze green (CC 152b). Ovary lemo yellow (CC 151b/c), stigma canary yellow (CC 7d). Stem lettuce- (CC 144a) to scheele's green (CC 144b); leaves fern green (CC 146a).
Height 50 cm

'Theodor Heuss' Greigii Group
P. Hopman & Sons, 1967. Exterior rhodonite red, edged primrose yellow; inside primrose yellow, base blotched brown on yellow, edged slightly carmine, anthers yellow. Leaves mottled.
Height 30 cm

'Thérèse' (Parrot Group) sport of **'Farncombe Sanders'**, see Classified List 1958

'The Rose' Triumph Group
'Evangeline Lindbergh'
Krelage & Son, before 1927. Solferino red. (Mendel) Historical collections only.

'The Skipper' Fringed Group
Sport of **'Louis XIV'**
Grullemans & Sons, 1943. Bluish violet, tawny margin with crystalline fringe. (2n = 24)
Height 65 cm

'The Sultan' Single Late Group
'Joseph Israels'
Krelage & Son, 1896. Purple black. Historical collections only.

'The Sun' (Single Early Group) see Classified List 1958

'Thetis' (Rembrandt Group) see Classified List 1958

'Thialf' Triumph Group
J.F. van den Berg & Sons, S. Reus, 1987. Exterior ivory white with long empire yellow (CC 11d) flame and vague grey stripes. Near the top a broad margin of fuchsin purple stripes. Pale yellow base. Inside rose bengal flamed spots on ivory white ground. Base naples yellow. Anthers greenish yellow.
Height 40 cm

thirkeana K. Koch see **sylvestris** L.

'Thomas Edison' Single Early Group
'Madame Herriot'
N. Dames, 1927. Orange red with pale margin. Historical collections only.
Sport: (**'Gunnar'**)

'Thomas Mann' (Triumph Group) see Classified List 1958

'Thomas Moore' see **'Thomas Morus'**

'Thomas Morus' Single Early Group
'Thomas Moore'
Raiser unknown, 1820. Orange. Historical collections only.
Sport: (**'Solita'**)

'Thomas Stephenson' (Breeder Group) see Classified List 1958

'Thomson's Glory' Single Late Group
F. Roozen, 1972. Spinel red, base light blue, anthers purple black.
Height 65 cm

'Thorbecke' (Darwin Group) see Classified List 1952

'Thorn' (Triumph Group) see Classified List 1958

thracica Davidov see **orphanidea** Boiss. et Heldr.

'Thriller' (Mendel Group) see Classified List 1958

'Thuban' (Triumph Group) see Classified List 1958

'Thule' Triumph Group
Anton Nijssen & Sons, 1954. Red, edged yellow. (2n = 24)
Height 45 cm
QC-(bc)-TGA-KAVB 1969, AM-RHS 1978
Sports: **'Fortissimo'**, **'Sally'**, **'Thule Exotic'**

'Thule Exotic' PBR Double Late Group
Sport of **'Thule'**
S. Reus, Holland Bolroy Markt, 1995. Exterior: from the centre of the tepal to the edge:cardinal red (CC 53c), primrose yellow (CC 4c) and cardinal red (CC 53c), tomato red (CC 44b), and an canary yellow (CC 13a) edge. Base mimosa yellow (CC 8a). Inside: canary yellow (CC 9a), basal third sulphur yellow (CC 6a); midvein tomato red (CC 44a), getting narrow to the top, and canary yellow (CC 7a) at the base. Base canary yellow (CC 9a). Filaments and anthers misformed. Ovary primrose yellow (CC 3c), stigma canary yellow (CC 7a). Stem scheele's green (CC 144b), leaves darker than fern green (CC 146a).
Height 45 cm

'Thunderbird' Single Late Group
Grullemans & Sons, 1967. Cardinal red, base primrose yellow, anthers yellow. (2n = 24)
Height 65 cm

'Thunderbolt' (Double Early Group) see Classified List 1958

tianschanica Regel Miscellaneous
Described 1879: Central Asia: Tien Shan; China: Dzungaria-Kahgaria. Yellowish, outer tepals tinged violet grey outside, anthers yellow.

'Tibet' see **aitchisonii** A.D. Hall subsp. **aitchisonii** var. **clusianoides** Wendelbo

'Tierno Galvan' Triumph Group
Konijnenburg & Mark, 1987. Exterior orient red (CC 42a) with currant red flame on the outer tepals. Small pale yellow base. Inside bright blood red (CC 45b). Round aureolin (CC 12a) base with dark grey feathered margin. Anthers deep violet.
Height 50 cm

'Tiko' Lily-flowered Group
Sport of **'Mariette'**
C.N. van Kooten, 1974. Exterior yellow, orange feathers; inside bright pink with a salmon pink flame, base yellow with withish ribs, anthers straw yellow.
Height 55 cm

'Tilly' (Single Late Group) see Classified List 1987

'Tina' Triumph Group
P.J. Nijssen & Sons, K. Brouwer, 1986. Exterior: outer tepals chrome yellow with a broad feathered fuchsin purple edge, inner tepals with a spinel red feathered flame on barium yellow ground; inside jasper red fading to a barium yellow edge, base canary yellow.
Height 45 cm

'Tindal' Single Late Group
Sport of **'Bartigon'**
Raiser unknown, 1931. Blood red. (Darwin Group) Historical collections only.
Sport: (**'New World'**)

'Tine van Reenen' Triumph Group
Van Zanten Bros., 1966. Exterior: outer tepals delft red , paler to the edges; inside poppy red, base buttercup yellow, slightly edged green, anthers purple. (2n = 36)
Height 55 cm

'Tinka' Miscellaneous
IVT, W. van Lierop & Sons, 1994. Exterior cardinal red (CC 53b), edged primrose yellow (CC 4b/c). Inner tepals primrose yellow (CC 4a) with some cardinal red (CC 53b) stripes. Base canary yellow (CC 9b). Inside primrose yellow (CC 4a), base canary yellow (CC 9a). Filaments lemon yellow (CC 14b), pollen dark indian lake (CC 187a). Ovary yellow green (CC 145b), stigma sap green (CC 150c). Stem anthocynanin, leaves fern green (CC 146a/b). A *T. clusiana* hybrid.
Height 40 cm
TGA-KAVB 1992

'Tipperary' (Cottage Group) see Classified List 1958

'Tip-Top' (Mendel Group) see Classified List 1958

'Tirza' Triumph Group
G.A. van Steijn, 1988. Exterior orient red (CC 42a) edged mimosa yellow (CC 8a). Base dresden yellow (CC 5c). Inside tomato red (CC 44a/b) changing towards the margins into fire red (CC 33b). On the inner tepals a sulpur yellow edged midvein. Edged sulphur yellow. Base canary yellow (CC 9a/b). Filaments canary yellow; anthers plum purple (CC 79a).
Height 45 cm

'Titania' (Cottage Group) see Classified List 1958

'Titanic' Single Late Group
Tubergen, 1939. Violet, shaded bronze. (Breeder) Historical collections only.

'Titian' (Double Early Group) see Classified List 1976
Sport: **'Fringed Beauty'**

'Titus' (Breeder Group) see Classified List 1958

'Tity's Star' see **urumiensis 'Tity's Star'**

'Tivoli' Single Late Group
Sport of **'Wiliam Copland'**
Th. Molenaar, 1963. Exterior orchid purple. Inside creamy white, currant red striped; stamens bluish purple.
Height 45 cm

'Tjaboca' Triumph Group
J.F. van den Berg & Sons, 1967. Exterior currant red, edged carrot red; inside orient red, base green yellow, edged carrot red, anthers black.
Height 50 cm

'Tjarina' Triumph Group
Sport of **'Rijnland'**
J. de Vries - van Grieken, 1988. Exterior blood red (CC 45c/d). Margins sulphur yellow (CC 6c). Base sap green (CC 150d). Inside aureolin (CC 12a); the centre of the tepals blood red (CC 45a) to currant red (CC 46a). Outer tepals with vague bluish green (CC 122d) spot in the yellow margin. Base primrose yellow (CC 3b). Filaments primrose yellow; anthers plum purple (CC 79a).
Height 50 cm

'Toean' Single Late Group
Sport of **'Golden Harvest'**
Kooi, 1958. Deep brownish black.
Height 60 cm

'Toison d'Or' see **'Golden Bronze'**

'Tokio' (Darwin Group) see Classified List 1958

'Toledo' Triumph Group
Bik, Jac. Tol, 1968. Currant red, edged aureolin, base aureolin, anthers purple violet.
Height 55 cm

'Tolerantie' (Triumph Group) see Classified List 1958

'Tolmino' (Triumph Group) see Classified List 1958

'Tommy' Single Early Group
C.P. Alkemade Cz., 1950. Brownish red. (2n = 24)
Height 45 cm

'Tommy-gun' (Double Late Group) see Classified List 1958

'Tom St. Laurent' Greigii Group
F. Roozen, 1965. Exterior vermilion, outer base greenish yellow; inside glowing vermilion red, base brown, edged bright yellow, anthers yellow. Leaves mottled.
Height 30 cm

'Tonami City' Triumph Group
TAES, 1972. Cream, base pale yellow, anthers yellow. (2n = 24)
Height 45 cm

'Ton Augustinus' Darwinhybrid Group
Sport of **'Apeldoorn'**
J. Rustenburg, 1990. Exterior turkey red (CC 46c) with signal red (CC 43a) flame. Base chartreuse green (CC 1c). Inside signal red (CC 42a). Base dark

indian lake (CC 187a) to black (CC 202a) surrounded by buttercup yellow (CC 15b). Filaments and pollen dark indian lake (CC 187a).
Variagated leaves moss green (CC 138a/b) with pea green (CC 149a) margin.
Height 55 cm

'Topaas' Greigii Group
Hybrida, 1961. Exterior pepper red, tinged violet; inside glowing pepper red, base black, anthers bronze. Leaves mottled.
Height 45 cm

'Top Affair' (Single Late Group) see Classified List 1987

'Top Hit' (Greigii Group) see Classified List 1987

'Topic' see **'Golden Oxford'**

'Toplips' PBR not yet KAVB registered

'Topparrot' Parrot Group
Sport of **'Prominence'**
Triflor, Van Dam, 1992. Exterior cardinal red (CC 53a/b), base primrose yellow (CC 4d). Margins and inner tepals currant red (CC 46a) to blood red (CC 45a). Top of outer tepals with some brown black (CC 200a) spots. Inside blood red (CC 45a/46b). Base black, bordered primrose yellow (CC 4b). Filaments black. Pollen dark grey to black. Ovary yellow green (CC 145b), stigma chartreuse green (CC 1d). Stem with a little anthocyanin.
Height 40 cm

'Topscore' Triumph Group
Hybrida, 1944. Geranium lake, yellow base, anthers black. (2n = 24)
Height 45 cm
EFA-KAVB 1947

'Topsy' (Darwin Group) see Classified List 1958

'Topwhite' PBR Triumph Group
Vertuco, Van Dam, 1992. Exterior ivory white (CC 155b) with primrose yellow (CC 4d) flame. Outer tepals pale dauphin's violet (CC 90d) feathered. Inside ivory white (CC 155b). Basal spots primrose yellow (CC 4c/d). Pollen yellow green (CC 145b/c). Stigma primrose yellow (CC 2d).
Height 35 cm

'Torbay' Triumph Group
Hybris, G. Lubbe & Son, 1995. Exterior neyron rose (CC 55a/b) with rose bengal (CC 57d) flame. Base sulphur yellow (CC 6d) on primrose yellow (CC

4d) ground. Inside neyron rose (CC 55a) to china rose (CC 58c). Base canary yellow (CC 7a), bordered ivory white (CC 155a). Filaments canary yellow (CC 7a); pollen barium yellow (CC 10c). Ovary yellow green (CC 145b), stigma canary yellow (CC 7d).
Height 55 cm

'Torchlight' Fosteriana Group
Tubergen, 1956. Exterior bright orange scarlet; inside deep orange. (2n = 24)
Height 40 cm

'Toreador' see **'El Toreador'**

'Torero' (Darwin Group) see Classified List 1958

'Torgau' (Darwin Group) see Classified List 1958

'Torino' Viridiflora Group
J.F. van den Berg & Sons, 1968. Exterior outer base green, tepals flamed dark green; inside bright blood red fading into a green flame, base green yellow, anthers purple.
Height 45 cm

'Tornado' (Double Late Group) see Classified List 1958

'Tornese' Triumph Group
P. Nijssen & Sons, 1960. Large bright carmine flowers, stems rather short. (2n = 24)
Height 40 cm

'Toronto' Greigii Group
Uittenbogaard & Sons, 1963. Exterior jasper red tinged on vermilion; inside tangerine red, base bronzy green on buttercup yellow, anthers bronze. Leaves mottled.
Height 35 cm
AGM-RHS 1993
Sports: **'Orange Toronto'**, **'Quebec'**

'Torrens' Triumph Group
Segers, 1944. Purple red, edged strawberry red. Historical collections only.

'Torry' (Darwin Group) see Classified List 1958

'Tosca' Triumph Group
J.F. van den Berg & Sons, G.P. Bos, 1980. Exterior: on outer tepals dull cardinal red flame, tomato red veined edge on mimosa yellow ground, inner tepals glow-

ing blood red, outer base primrose yellow; inside glowing blood red, base buttercup yellow, anthers bluish.
Height 50 cm
Sport: **'Fernanda'**

'Tosca' Triumph Group
Zocher & Co., before 1926. Purple, margin feathered with white, base yellow. Historical collections only.

'Toscana' Single Late Group
IVT, Meelebo, 1993. Exterior: base ivory white (CC 155b) with bluish glow; tepal cardinal red (CC 53b/c), margin veined paler. Inside: base deep sea blue (CC 103d) with greyish yellow (CC 160d) glo, margins of the base ivory white (CC 155b) and from base to top a deep sea blue (CC 103d) rim, a doge purple (CC 72b) rim, cherry (CC 53d) to cardinal red (CC 53c), midvein magnolia purple (CC 70d) with thin longitudinal cherry (CC 53d) stripe. Filaments plum purple (CC 79a), pollen likewise with some chartreuse green (CC 1d). Ovary yellow green (CC 145a), stigma mimosa yellow (CC 8d). Stem scheele's green (CC 144b/c), leaves fern green (CC 146b) with darker stripes.
Height 60 cm

'Toscanini' (Kaufmanniana Group) see Classified List 1958

'Toscelli' (Triumph Group) see Classified List 1958

'Totius' Double Late Group
Segers, 1943. Carmine rose, white base.
Height 45 cm

'Toulon' Fosteriana Group
Tubergen, 1961. Exterior deep orange, tinged geranium lake; inside deep orange, base deep brown, edged yellow, anthers pale yellow. Leaves beautifully reddish brown blotched and striped. (2n = 24)
Height 40 cm
HC-RHS 1966

'Toulouse' Triumph Group
H.C. Kooiman, 1993. Exterior currant red (CC 46a), near the margins blood red (CC 45a). Base sulphur yellow (CC 6c/d). Outer tepals with a currant red (CC 46a) flame from base to top, margins blood red (CC 45a). Inside tomato red (CC 44a), filaments and base sulphur yellow (CC 6a) with strong spinach green (CC 137a) glow. Anthers plum purple (CC 79a) to black brown (CC 200a). Ovary scheele's green (CC 144c), stigma chartreuse green (CC 154d). Stem scheele's green (CC 144b), leaves fern green (CC 146a), edged slightly paler.
Height 45 cm

'Tournesol' Historical cultivar

'Tournesol Red and Yellow' Double Early Group
Raiser unknown, 1769. Red, edged yellow. Historical collections only.
Sport: **'El Toreador'**

'Tournesol Yellow' see **'Golden King'**

'Towa' Greigii Group
Uittenbogaard & Sons, 1982. Exterior scarlet with pale green on brown basal blotches; inside signal red, star shaped black base with narrow yellow edge. Leaves mottled.
Height 30 cm

'Towerhall' (Double Late Group) see Classified List 1958

'Town Topic' (Triumph Group) see Classified List 1958

'Toyota' Single Late Group
IVT, Captein Bros and Van Til Hartman, 1984. Exterior: outer tepals: rhodonite red flame with scarlet feathered edge on white ground, inner tepals carmine with neyron rose glow; inside feathered blood red with a broad yellowish white edge, base mimosa yellow, edged violet, anthers dark grey. (2n = 36)
Height 65 cm

'Trance' Triumph Group
Hybrida, 1953. Deep geranium red, base yellow. (2n = 24)
Height 40 cm
FA-KAVB 1960
Sport: **'Scarlet Feathers'**

'Transavia' PBR Triumph Group
Vertuco, Van Dam, 1988. Exterior aureolin (CC 12b) with scheele's green (CC 143b) spots and small brownish grey (197a) spot. Tips of outer tepals green. Inside canary yellow (CC 9a) with buttercup yellow (CC 15a) glow near the base. Filaments buttercup yellow; anthers mimosa yellow (CC 8c).
Height 55 cm
TGA-KAVB 1988

'Trapeze' (Triumph Group) see Classified List 1987

'Treasure' Greigii Group
Captein Bros., 1963. Exterior tangerine red, tinged carmine, edged orange; inside glowing tangerine red, base deep brown, edged yellow, anthers black. Leaves mottled.
Height 30 cm

'Treasure Chest' (Darwin Group) see Classified List 1958

'Treasure Island' (Darwin Group) see Classified List 1958

'Trendsetter' Triumph Group
Visser Czn., 1983. Exterior flamed blood red on tomato red ground with lemon yellow edge; inside flamed blood red on orpiment orange ground, base canary yellow, anthers purple.
Height 50 cm

'Très Chic' Lily-flowered Group
Hybris, Van Dam, 1992. Exterior ivory white (CC 155b) with greenish white (CC 157d) glow on the midvein. Outer tepals sap green (CC 150d) flamed. Top light solferino purple (CC 65c) feathered. Inside greenish white (CC 157c/d) to primrose yellow (CC 4d) with ivory white (CC 155c) top. Filaments ivory white with cornflower blue (CC 95b) spots. Pollen dresden yellow (CC 5c). Ovary yellow green (CC 145a), stigma chartreuse green (CC 154d). Stem green to pale anthocyanin.
Height 45 cm
TGA-KAVB 1991

'Treslong' (Mendel Group) see Classified List 1958

'Triangle' Greigii Group
A. Overdevest Gz., 1955. Exterior bright red; inside blood red, base brown. Leaves mottled. (2n = 24)
Height 40 cm

'Trident' (Single Late Group) see Classified List 1987

'Trinita' (Cottage Group) see Classified List 1958

'Trinket' Greigii Group
Captein Bros., 1963. Exterior blood red, edged white; inside yellowish white, base brown on yellow, edged scarlet, anthers yellow. Leaves mottled. (2n = 24)
Height 25 cm

'Triton' (Cottage Group) see Classified List 1948
Sport: (**'Charming'**)

'Triumphator' Double Early Group
Sport of **'Murillo'**
Raiser unknown, 1919. Rosy red. (2n = 24)
Height 25 cm
TGA-KAVB 1919
Sport: (**'Ariston'**), (**'Triumphator Maxima'**)

'Triumphator Maxima' (Double Early Group) sport of **'Triumphator'**, see Classified List 1969

Triumph Group
Single flowered cultivars, stem of medium length, mid season flowering. Originally the result of hybridization between cultivars of the Single Early Group and the Single Late Group.

'Triumph of Holland' Single Early Group
Sport of **'Ibis'**
Raiser unknown, 1930. Deep rosy red, flushed carmin. Historical collections only.

'Trixi' (Double Late Group) see Classified List 1958

'Trocadero' (Cottage Group) see Classified List 1958

'Tropic Beauty' (Bizarre Group) see Classified List 1958

'Tropic Sun' (Mendel Group) see Classified List 1958

'Troubadour' (Triumph Group) see Classified List 1987

'Trouvaille' Greigii Group
Sport of **'Yellow Dawn'**
Hybrida, 1965. Exterior claret rose, edged vermilion, outer base greenish yellow; inside vermilion, base brown, anthers yellow. Leaves mottled.
Height 35 cm
TGA-KAVB 1965

'True Love' Triumph Group
Sport of **'Rosella'**
De Geus, 1984. Exterior rose red, edged carmine, outer base tinted jade green; inside turkey red, base white with sea blue and pale yellow blotches, anthers yellow.
Height 60 cm

'Trump' (Greigii Group) see Classified List 1987

'Tschaikovsky' Greigii Group
D.W. Lefeber & Co., 1963. Exterior carmine, to the edges lemon yellow; inside signal red on lemon yellow, base bronzy green striped and blotched, anthers yellow. Leaves mottled.
Height 45 cm

tschimganica Botschantz. Miscellaneous
Central Asia: W. Tien Shan. Red and yellow forms, both have yellow basal blotches. (2n = 24)
Height 20 cm

Tubergeniana Group see Classified List 1958-1965

tubergeniana Hoog Miscellaneous
Described 1904: Central Asia: Pamir-Alay. Deep bright scarlet, pale green at the base. Regarded by some authors as synonym of **lanata** or as closely related species, and should be treated as cultivar. (2n = 24)
Height 50 cm
AM-RHS 1904

tubergeniana Hoog **'Candidate'** Miscellaneous
Jan Roes, 1951. Vermilion, flushed orient red.
Height 50 cm

tubergeniana Hoog **'Emir'** Miscellaneous
Jan Roes, 1951. Deep orient red. Multiflowered. (2n = 24)
Height 50 cm
AM-KAVB 1953

tubergeniana Hoog **'Keukenhof'** Miscellaneous
Jan Roes, 1952. Scarlet, base yellow. Multiflowered.
Height 50 cm

tubergeniana Hoog **'Oriental Queen'** Miscellaneous
Jan Roes, 1951. Oriental red. Multiflowered.
Height 50 cm
AM-KAVB 1951, FCC-KAVB 1953

'Tubergen's Gem' see **clusiana** var. **chrysantha 'Tubergen's Gem'**

'Tubergen's Glory' Single Late Group
Tubergen, 1931. Cochineal red. (Darwin Group) Historical collections only.

'Tubergen's Variety' see **praestans 'Tubergen's Variety'**

'Tucana' Triumph Group
Raiser unknown, before 1923. Carmine purple. Historical collections only.

'Tugboat Anny Brennan' (Darwin Group) see Classified List 1958

'Tulip of Albany' see **'Orange Wonder'**

'Tunis' (Triumph Group) see Classified List 1958

'Turban Violet' Double Early Group
'Empress', *'Violet Foncé'*
Voorhelm & Schneevoogt, before 1879. Purple, splashed with orange. Historical collections only.

turcarum Gesner see **schrenkii** Regel

turcica Kunth see **acuminata** Vahl ex Hornem.

turcomanica B. Fedtsch. Miscellaneous
Described 1932: Central Asia, mountains of Turkmenistan; N. Iran. White, outer tepals tinged dull violet on the outside, base yellow. (2n = 24)

'Turenne' *'Mac Mahon'* (Dutch Breeder Group) see Classified List 1952

turkestanica Regel Miscellaneous
Described 1875: Central Asia: Pamir-Alay, Tien Shan. China: Dzungaria. White, outer tepals greyish violet on the outside, base orange yellow. Multiflowered. Regarded by some authors as synonym of **biflora** Pall. (2n = 48)
Height 20 cm
AGM-RHS 1993

'Turkish Delight' Greigii Group
P. Hopman & Sons, 1955. Exterior deep carmine, edged white; inside ivory white, base black, edged yellow and red blotches. Leaves mottled. (2n = 24)
Height 30 cm

'Turmoil' see **'Striped Apeldoorn'**

'Tutankhamen' (Rembrandt Group) see Classified List 1958

'Twilight' (Bijbloemen Group) see Classified List 1958

'Twinkle' Single Late Group
Sport of **'Santa Monica'**
Segers, 1968. Exterior chartreuse green, tinged grey towards outer base, flamed cardinal red; inside pale primrose yellow, flamed cherry red from the base, base aureolin, anthers soft yellow.
Height 65 cm

'Tyrol' Triumph Group
J.F. van den Berg & Sons, 1961. Exterior rosy red: inside rosy red, base blue on creamy white, anthers purple brown.
Height 50 cm

'Uchida' Triumph Group
Snoek, 1989. Exterior violet purple (CC 80c). Base ivory white (CC 155a). Inside violet purple (C 80c/d). Base primrose yellow (CC 3b) surrounded by ivory white (CC 155b). Filaments chartreuse green (CC 1c), pollen willow green (CC 147d). Stem anthocyanin.
Height 45 cm

'Uerdingen' (Single Late Group) sport of **'Vredehof'**, see Classified List 1987

ulophylla Wendelbo Miscellaneous
Described 1964. Iran: Mazanderan, Haraz Valley. Crimson, base black, edged yellow, anthers yellow.

'Ultraphil' (Triumph Group) see Classified List 1958

'Uncle Tom' Double Late Group
Zocher & Co. Maroon red. (2n = 24)
Height 45 cm
AM-KAVB 1939

'Undine' Single Late Group
Visser Czn., 1963. Exterior cherry red, orange to the edge; inside mandarin red, light orange to the top, base green, anthers deep blue.
Height 50 cm
HC-RHS 1970

undulatifolia Boiss. Miscellaneous
Described 1844: W. Turkey: neighbourhood of Izmir. Orange scarlet to deep red, base black, edged yellow, anthers black. **T. boeotica** and **eichleri** are regarded by some authors as synonyms, which should be treated as cultivars. (2n = 24)

'Unicef' Viridiflora Group
Konijnenburg & Mark, 1971. Exterior feathered carmine on a yellow ground, outer base ivory white; inside claret rose, lighter to the edges, base pale green with green spots.
Height 50 cm

'Unicum' see **praestans 'Unicum'**

'Unicum' (Darwin Group) see Classified List 1958

uniflora (L.) Besser ex Baker Miscellaneous
Originally described 1767: W. Siberia: Altay; E. Siberia: Angara; Central Asia: Dzungaria-Tarbagatay; Mongolia. Pale yellow, outer tepals tinged with green on the outside, anthers yellow.

'Unio' (Triumph Group) see Classified List 1958

'Union Jack' Single Late Group
Sport of **'Cordell Hull'**
P. Bakker Mz., 1958. Raspberry red flamed on ivory white ground, base white, edged blue. With larger flowers than **'Cordell Hull'**. (2n = 24)
Height 55 cm
AM-KAVB 1960, FCC-KAVB 1961, AM-RHS 1961, AGM-RHS 1995
Sport: **'Falkland Prince'**

'United Europe' Triumph Group
P. Hopman & Sons, 1952. Red, edged yellow. (2n = 24)
Height 45 cm
Sport: (**'New Europe'**)

'United Nations' (Greigii Group) see Classified List 1987

'United States' Greigii Group
D.W. Lefeber & Co., 1974. Exterior scarlet flamed on fire red ground, feathered to the edges on buttercup yellow; inside fire red feathered on yellow ground towards the edges, brown black basal blotches on yellow ground. Leaves slightly mottled.
Height 45 cm
TGA-KAVB 1974

'Upstar' Double Late Group
J.F. van den Berg & Sons, J.A. Borst, 1982. Exterior: ivory white fading to a broad flamed roseine purple edge; inside flamed neyron rose, base ivory white, anthers aureolin.
Height 45 cm
Sport: **'Creme Upstar'**, **'Up Pink'**

'Up Pink' PBR Double Late Group
Sport of **'Upstar'**
J. Ligthart, Holland Bolroy Markt, 1994. Exterior light indian lake (CC 59d), margins rhodonite red (CC 51a), base ivory white (CC 155a). Inside about rhodonite red (CC 51a), base ivory white (CC 155a). Filaments misformed, ivory white (CC 155a), pollen mimosa yellow (CC 8a). Ovary scheele's green (CC 144c), stigma dresden yellow (CC 5d). Stem scheele's green (CC 144b) with some anthocyanin, leaves fern green (CC 146a).
Height 45 cm

'Upward' Greigii Group
Uittenbogaard & Sons, 1963. Exterior orient red, flushed vermilion, edged primrose yellow; inside signal red, edged primrose yellow, base deep buttercup yellow, blotched greenish, anthers yellow. Leaves mottled.
Height 30 cm

'Ursa Minor' Single Early Group
Zocher & Co. Deep golden yellow. (2n = 24)
Height 30 cm
AM-KAVB 1933

urumiensis Stapf Miscellaneous
Described 1932: N.W. Iran; Lake Rézaiyeh (Urmia). Clear yellow, outer segments much pigmented on reverse with olive and red, anthers yellow. Multiflowered. (2n = 24)
Height 10 cm
FCC-RHS 1970, AGM-RHS 1993

urumiensis Stapf **'Tity's Star'** Miscellaneous
Visser Czn., T. Groot and H. Heemskerk, 1995. Exterior spinach green (CC 137a), getting paler halfway the tepal. Indian lake (CC 58a) along the midvein. Margins primrose yellow (CC 4d). Top indian lake (CC 58a). Inner tepals with spinach green (CC 137c) vein. Inside canary yellow (CC 9a) fading to the top (CC 9b). Filaments and anthers lemon yellow (CC 14a). Ovary scheele's green (CC 143c), stigma canary yellow (CC 9b). Stem yellow green (CC 145a), leaves spinach green (CC 137c). Selection with a more yellow colour in comparison to the commonly grown **urumiensis**.
Height 10 cm

urumoffii Hayek Miscellaneous
Described 1911: Bulgaria. Yellow. **T. rhodopea** is sometimes regarded as a synonym.

'U.S.A.' Triumph Group
Raiser unknown, before 1930. Orange red, edged orange yellow. Historical collections only.

'Usugesho' Fosteriana Group
TAES, 1983. Exterior primrose yellow; inside bright sulphur yellow with whitish vein, anthers purple. (2n = 24)
Height 45 cm

'Utah' (Darwin Group) see Classified List 1958

'Utopia' Single Late Group
Segers, 1935. Cardinal red. (2n = 24)
Height 50 cm
Sport: **'Pink Supreme'**

uzbekistanica Botschantz. & Scharipov Miscellaneous
Described 1971: Central Asia; S. Uzbekistan. Orange red with a large dark brown, yellow margined base.
Height 10 cm

'Va Banque' (Triumph Group) see Classified List 1987

'Va Bien' PBR — Single Late Group
Sport of **'Flaming Parrot'**
M.C. Zonneveld & Sons, 1990. Exterior primrose yellow (CC 4d) with long narrow cardinal red (CC 53b) flame. Top of outer tepals turkey red (CC 46c) feathered. Inside primrose yelow (CC 4b) with large blood red (CC 45c) flame and spots. Base dresden yellow (CC 5c) with stripy black blotches. Filaments plum purple (CC 79a). Pollen plum purple. Ovary yellow green (CC 145a), stigma sap green (CC 150d).
Height 70 cm

'Vagabond Prince' (Single Late Group) see Classified List 1987

'Valbella' PBR — Fringed Group
Segers, W.A.M. Pennings, 1993. Exterior blood red (CC 45c/d) to the margin paler, edged buttercup yellow (CC 16c), fringes buttercup yellow (CC 15a). Base chartreuse green (CC 1c). Inside lemon yellow (CC 14a), striped light redbrown (CC 169b). Top half of tepal fringed. Base willow green (CC 147a), bordered with aureolin (CC 12a) and light redbrown (CC 169b) rim. Filaments aureolin (CC 12a), pollen black brown (CC 200a). Ovary scheele's green (CC 144c), stigma primrose yellow (CC 4c). Stem fern green (CC 146d), leaves spinach green (CC 137c).
Height 50 cm

'Valborg Lagerberg' (Darwin Group) see Classified List 1958

'Valencia' — Single Early Group
J.F. van den Berg & Sons, 1961. Orange, base yellow. (2n = 24)
Height 35 cm

'Valentine' — Triumph Group
Bik, Jac. Tol, 1970. Exterior dull tyrian purple fading into an irregular white edge with small purple stripes, outer base greenish white; inside fuchsin purple, edged white, base canary yellow fading into white, anthers green yellow.
Height 45 cm
Sport: **'Ladylike'**

'Valentine' — Single Late Group
'Marie'
Krelage & Son, before 1908. Violet purple. (Darwin) Historical collections only.

'Valentine de Milan' (Rembrandt Group) see Classified List 1958

'Valerie' Triumph Group
Snoek, 1989. Exterior chrysanthemum red (CC 60a) flame, paler (CC 60c) the sides. Margins ivory hite (CC 155c). Inner tepals wholly bright chrysanthemum red (CC 60b) with cardinal red (CC 53c) glow. Margins ivory white (CC 155c). Base greenish white (CC 157c). Inside: tophalf of tepals ivory white (CC 155c), primrose yellow (CC 4d) spotted. Basal half of tepals cardinal red (CC53a/b). Base primrose yellow (CC 2d) bordered by spotty moorish blue (CC 93a). Filaments and pollen dark purple to black.
Height 50 cm

'Valetta' Greigii Group
Doornbosch Bros., 1969. Exterior deep orange; inside glowing capsicum red, base brown black, anthers purple. Leaves mottled.
Height 35 cm

'Valiant' (Darwin Group) see Classified List 1958

'Valona' Double Late Group
Segers, 1943. Deep scarlet, edged rose.
Height 35 cm
TGA-KAVB 1947

'Van Berghem' Single Early Group
'John Bright'
Raiser unknown, before 1893. Deep rose. Historical collections only.

'Van Bylandt' (Double Early Group) sport of **'Murillo'**, see Classified List 1969

'Van den Berg's Memory' PBR Triumph Group
Van den Berg-Hytuna, 1994. Exterior cardinal red (CC 53a) with lemon yellow (CC 151d) base. Inside shining currant red (CC 46a) with a darker glow on the midvein; darker stripes on tepal. Base black brown (CC 200a) bordered with a little lemon yellow (CC 13a). Filaments black brown (CC 200a), pollen plum purple (CC 79a). Ovary yellow green (CC 145a), stigma chartreuse green (CC 154d). Stem scheele's green (CC 144b), leaves fern green (CC 146a).
Height 30 cm

'Van der Eerden' Triumph Group
Krelage & Son. Lincoln red. (2n = 24)
Height 50 cm
FA-KAVB 1933
Sports: **'Ajax'**, **'Eerden's Parrot'**, **'Europa Cup'**, **'Ice Follies'**, **'Radar'**, **'Remagen'**, (**'Margaret Milton'**), (**'Maria Theresia'**), (**'Naissance'**), (**'Narvik'**), (**'Renaissance'**), (**'Renville'**), (**'Rozenheim'**), (**'Sevenoaks'**)

'Van der Neer' Single Early Group
Leembruggen, 1860. Purple. (2n = 24)
Height 25 cm

'Van der Stropel' Historical cultivar

'Van Dijck' (Parrot Group) sport of **'Eunice'**, see Classified List 1987

'Van Eijk' PBR Darwinhybrid Group
CPRO, Testcentrum, 1995. Exterior irregularly turkey red (CC 46c), delft rose (CC 46d) and primrose yellow (CC 4d). Outer tepals with beetroot purple (CC 71a) just next to the base; base primrose yellow (CC 71a). Inside tomato red (CC 44a); base sulphur yellow (CC 6a) with some willow green (CC 147a) near the midvein, on the outer tepals an ivory white (CC 155a) edge. Filaments sulphur yellow (CC 6a), near the top ivy green (CC 131a) striped. Pollen plum purple (CC 79a). Ovary scheele's green (CC 144b/c), stigma primrose yellow (CC 4b). Stem lettuce green (CC 144a) with some anthocyanin; leaves fern green (CC 146a).
Height 50 cm

'Van Gogh' (Darwin Group) see Classified List 1958

'Vanguard' see **'Parisian Yellow'**

'Vanitas' (Darwin Group) see Classified List 1958

'Van Limburg Stirum' (Double Early Group) sport of **'Electra'**, see Classified List 1958

'Van Logchem' (Triumph Group) see Classified List 1958

'Van Loo' (Darwin Group) see Classified List 1958

'Van Nelle Traditional' Triumph Group
Snoek, 1990. Exterior cardinal red (CC 53b/c); margins dresden yellow (CC 5d). Midvein spiraea red. Base greenish white (CC 157d), dresden yellow (CC 5d) spotted. Inside blood red (CC 45b) with sulphur yellow (CC 6c) margins. Base canary yellow (CC 7a), primrose yellow (CC 4d) spotted. Filaments deep sea blue (CC 103a), pollen plum purple (CC 79a). Ovary yellow green (CC 145c), stigma primrose yellow (CC 3c).
Height 50 cm

'Van Poortvliet' see **'Minster Tak van Poortvliet'**

Van Tubergen see **'Mr. Van Tubergen'**

'Van Zanten's Glory' (Triumph Group) see Classified List 1976

'Variété' (Cottage Group) see Classified List 1958

'Varinas' Triumph Group
G. van Steyn & Sons, 1944. Lilac rose, edged silvery white, anthers black.
Height 40 cm
Sport: **'Brunette'**

'Vasco da Gama' (Rembrandt Group) see Classified List 1958

'Vaticaan' Triumph Group
Sport of **'Pax'**
Smakman, 1988. Exterior dresden yellow (CC 5d) feathered. Large ivory white (CC 155c) margins on the top half of the tepals. Vaguely french blue (CC 97c) spotted outer tepals. Inside ivory white (CC 155c). Canary yellow (CC 9c) basal spots changing into dresden yellow feathered (CC 5c) stripes. Long, triangular barium yellow (CC 10c) anthers.
Height 45 cm

'Vauxhall' (Parrot Group) sport of **'Chameleon'**, see Classified List 1958

'Vela' Triumph Group
Zocher & Co., 1934. White with yellow anthers.
Height

'Velvet Gem' *'Manteau de Velours', 'Fluwelen Mantel'* (Double Early Group) see Classified List 1948

'Velvet Gem' see **'Velvet King'**

'Velvet King' Single Late Group
'Velvet Gem', 'Dreadnought'
Barr & Sons, 1912. Bright dark red purple. (Breeder) Historical collections only.
Sport: (**'Mahogany King'**)

'Velvet Mantle' (Darwin Group) see Classified List 1958

'Velvet Negrita' Triumph Group
Sport of **'Negrita'**
De Geus-Vriend, 1994. Exterior chrysanthemum red (CC 60a), towards the margins cardinal red (CC 53a/b). Base ivory white (CC 155a) with deep sea blue (CC 103a) glow, bordered beetroot purple (CC 71a). Inside dark indian lake (CC 187c), towards margins and top cardinal red (CC 53a/b). Base black (CC

202a) to black brown (CC 200a) with some ivory white (CC 155d). Base on inner tepals a little primrose yellow (CC 3d), bordered beetroot purple (CC 71a). Filaments ivory white (CC 155a), tophalf sea blue (CC 102a), pollen dark indian lake (CC 187a/b). Ovary scheele's green (CC 144c), stigma chartreuse green (CC 154c). Stem and leaves fern green (CC 146 a and b). Sometimes up to 9 tepals.
Height 45 cm

'Velvet Queen' Triumph Group
L.J.C. Schoorl, 1984. Exterior beetroot purple, glowing doge purple, outer base greenish white; inside beetroot purple, base aureolin on whitish ground, anthers primrose yellow. Height 40 cm
TGA-KAVB 1984

veneris A.D. Hall Miscellaneous
Described 1939: Cyprus. Light scarlet with deep olive blotch, margined yellow. (2n = 36)

'Venice' (Single Late Group) see Classified List 1987

'Venture' (Single Early Group) see Classified List 1958

'Venus' Single Late Group
Krelage & Son, before 1913. Rose. Historical collections only.

'Venza' (Triumph Group) see Classified List 1958

'Vera' (Mendel Group) see Classified List 1958

'Vera Lynn' (triumph Group) see Classified List 1958

'Verboom' Single Early Group
'Pottebakker Scarlet'
Raiser unknown, before 1875. Scarlet. Historical collections only.

Verdi see **'Giuseppe Verdi'**

'Vermeer' (Darwin Group) see Classified List 1958

'Vermilion Brilliant' Single Early Group
Raiser unknown. Scarlet. Fragrant. Historical collections only.
Sports: (**'Vermilion Brilliant Maxima'**), (**'Glory of Langendijk'**)

'Vermilion Brilliant Maxima' (Single Early Group) sport of **'Vermilion Brilliant'**, see Classified List 1987

'Vermilion Parrot' Parrot Group
Sport of **'Karel Doorman'**
Lefeber Bros., 1969. Exterior rhodonite red, blood red towards edge, small soft green outer base; inside blood red, base yellow ochre with dark green blotches, anthers dark purple.
Height 50 cm

'Vermilion Record' (Single Early Group) see Classified List 1987

'Verona' Double Early Group
Hybris, Boots, 1991. Exterior dresden yellow (CC 5d) with sulphur yellow (CC 6c/d) flame, irregularly scheele's green (CC 143c) spotted. Inside primrose yellow (CC 3c) with ivory white midvein. Pollen sulphur yellow (CC 6c). Fragrant.
Height 40 cm

'Verona' (Mendel Group) see Classified List 1958

'Veronique' Triumph Group
IVT, G.H. van Went & Sons, 1983. Exterior claret rose with tall yellowish white flame; inside bright turkey red, base indian yellow on white ground, anthers pale yellow.
Height 60 cm

'Versailles' (Double Late Group) see Classified List 1958

'Vesta' (Rembrandt Group) see Classified List 1958

'Vesuvius' Parrot Group
Sport of **'Scarlet Cardinal'**
P. van Til, Breed, 1962. Scarlet. (2n = 24)
Height 25 cm
FA-KAVB 1962

'Viceroy' (Bijbloemen Group) about 1635, historical cultivar, see Classified List 1958

'Vicky Baum' (Darwin Group) see Classified List 1958

'Victoire d'Oliveira' Single Late Group
Krelage & Son, before 1908. Crimson maroon. (Darwin Group) Historical collections only.
Sport: (**'Victoire d'Oliveira Maxima'**)

'Victoire d'Oliveira Maxima' (Darwin Group) sport of **'Victoire d'Oliveira'**, see Classified List 1958

'Victor' Single Late Group
RIPF, 1994. Exterior blood red (CC 45a), narrow chartreuse green (CC 1c) band at the base. Inside shining blood red (CC 45a); base narrow aureolin (CC 12a) band, bordered black bown (CC 200b); at the tepal edge aureolin (CC 12a). Filaments and pollen black brown (CC 200a). Ovary scheele's green (CC 144c), stigma chartreuse green (CC 1c). Stem scheele's green (CC 144b), leaves darker than fern green (CC 146a), edged paler.
Height 30 cm

'Victor Herbert' (Kaufmanniana Group) see Classified List 1958

'Victor H. Ries' Triumph Group
J.F. van den Berg & Sons, Th.A. Langeveld, 1989. Exterior doge purple (CC 72a). Base greenish white (CC 157d). Inside violet purple (CC 77a). Base sea blue (CC 102a). Filaments plum purple (CC 79a/b). Stem anthocyanin.
Height 50 cm

'Victor Hugo' (Rembrandt Group) see Classified List 1958

'Victoria' Double Early Group
Sport of **'Murillo'**
G. van der Mey's Sons. Vermilion. (2n = 24)
Height 25 cm

'Victor Mundi' Triumph Group
Kavelaars, 1952. Deep red.
Height 55 cm

'Victory' (Bizarre Group) see Classified List 1958

'Victory Maid' Triumph Group
Nieuwenhuis Bros., 1956. Violet, edged white.
Height 50 cm

'Victressa' (Darwin Group) see Classified List 1958

'Victrix' (Triumph Group) see Classified List 1987

'Viking' Double Early Group
Sport of **'Monte Carlo'**
J.W. Reus, 1984. Exterior flamed scarlet with somewhat greenish; inside signal red, base canary yellow, anthers purple. Incidently slightly feathered yellow. Fragrant.
Height 30 cm

'Vink's Memory' (Single Early Group) see Classified List 1958

violacea Boiss. & Buhse see **humilis 'Violacea'**

violacea Boiss. & Buhse var. *pallida* Stapf see **humilis 'Alba Coerulea Oculata'**

'Viola Holt' Triumph Group
Van den Berg-Yokohama, C.G. van den Berg & Sons, 1992. Exterior sap green (CC 150b), inside paler (CC 150d). Filaments ivory white (CC 155d), near the top sap green (CC 150d). Pollen primrose yellow (CC 4b). Ovary scheele's green (CC 144b), stigma sap green (CC 150b). Stem scheele's green (CC 144b) to lettuce green (CC 144a), leaves fern green (CC 146a) to willow green (CC 147a). Height 25 cm

'Violet Beauty' PBR Single Late Group
H.G. Huyg & Son, 1993. Exterior: base ivory white (CC 155b), tepals violet purple (CC 77a), towards the top paler (CC 80d), near the margins amethyst violet (CC 84a). Inside: base ivory white (CC 155b), basal half of tepal violet purple (CC 77a), towards the top violet purple (CC 77b) striped on an ivory white (CC 155c) ground. Filaments ivory white (CC 155b), top sap green (CC 150d). Anthers plum purple (CC 79a). Ovary yellow green (CC 145a), stigma (CC 150d). Stem scheele's green (CC 143c), leaves fern green (CC 146a). Height 45 cm

'Violet Bird' Viridiflora Group
J.F. van den Berg & Sons, 1968. Orchid purple, flamed green, base green. Height 50 cm

'Violet Foncé' see **'Turban Violet'**

'Violet Lady' (Triumph Group) see Classified List 1987

'Violet Queen' Parrot Group
Sport of **'Opal Queen'**
Raiser unknown, 1931. Violet blue. Historical collections only.

'Violet Queen' (Dutch Breeder Group) see Classified List 1939

'Violet Superbe' (Bijbloemen Group) see Classified List 1958

'Violet Supérieur' Double Early Group
'La Candeur Lilas'
Raiser unknown, before 1897. Dull magenta. Historical collections only.

'Violetta' (Triumph Group) see Classified List 1958

'Violine' (Triumph Group) see Classified List 1987

'Viotta' (Triumph Group) see Classified List 1958
Sports: (**'Colmo'**), (**'Count Bernadotte'**)

'Virgilius' (Dutch Breeder Group) see Classified List 1952

'Virginia' Triumph Group
A.T.J. Snoek, A. Snoek-Begon, 1983. Exterior blood red (CC 45b/c) with sulphur yellow (CC 6b) margin on the top half of the tepals. Base tiny primrose yellow (CC 3d) line around the stem. Inside blood red (CC 45b) flamed on primrose yellow (CC 3a) ground. Base primrose yellow bordered bluish green (CC 122a). Filaments and pollen plum purple (CC 79a). Stem dull greybrown (CC 177a).
Height 55 cm

'Virgo' (Single Late Group) see Classified List 1987

'Viridiflora' Viridiflora Group
Raiser unknown, 1700. Yellow and green.
Height 45 cm

Viridiflora Group
Single flowered cultivars with partly greenish tepals. Late flowering. Stem of variable length.

'Viridiflora Praecox' Viridiflora Group
Large, pale yellow and green. Early flowering. (2n = 24)
Height 50 cm

'Virtuoso' Triumph Group
J. Kromhout, 1952. Lilac rose. (2n = 24)
Height 45 cm
Sport: **'Adelaide'**

'Vision' (Mendel Group) see Classified List 1958

'Vitellina' Single Late Group
Van der Vinne, 1896. Primrose. (Cottage) Historical collections only.

'Vitesse' (Darwin Group) see Classified List 1958

'Vivaldi' Kaufmanniana Group
Tubergen, 1942. Exterior carmine rose, edged yellow; inside sulphur yellow, base golden yellow, flushed bronze. Leaves mottled. (2n = 24)
Height 25 cm
AM-KAVB 1942, AM-RHS 1948

'Vived Crown' (Double Late Group) see Classified List 1958
Sport: **'Florijn'**

'Vivex' Darwinhybrid Group
Konijnenburg & Mark, 1960. Exterior deep carmine rose, edged orange yellow; inside mandarin red, star shaped base deep green on yellow ground. (2n = 36)
Height 60 cm

'Vlammenspel' Single Late Group
'Fireside'
Sport of **'Inglescombe Yellow'**
P. Groot Nz., 1941. Yellow, flamed blood red. (2n = 36)
Height 50 cm
AM-KAVB 1942, TGA-KAVB 1941

'Vlugt's Favourite' (Double Early Group) sport of **'Oranje Nassau'**, see Classified List 1969

'Vochod' (Darwin Group) see Classified List 1969

'Vogue' (Triumph Group) see Classified List 1969

'Volendam' (Triumph Group) see Classified List 1987

'Vollenhoven' (Rembrandt Group) see Classified List 1958

'Volnay' Triumph Group
Konijnenburg & Mark, 1988. Exterior: large cardinal red (CC 53b) flame on tomato red (CC 44a) ground. Inner tepals tomato red. Triangular base dresden yellow (CC 5c). Inside signal red (CC 43a) with on the top half of tepals vague nasturtium orange (CC 25b) flame. Round primrose yellow (CC 3a) base, spotted chesnutleaf green (CC 136b). Filaments and anthers deep sea blue (CC 103b) on yellowish ground.
Height 50 cm

'Vondel' (Bijbloemen Group) see Classified List 1958

'Von Moltke' Triumph Group
'Generaal Von Moltke'
Zocher & Co., before 1936. Blood red, edged white. Historical collections only.

'Vredehof' Single Late Group
J.H. Veldhuyzen van Zanten Azn., 1950. Bluish violet. (2n = 24)
Height 60 cm
Sport: (**'Uerdingen'**)

'Vulcan' Single Late Group
Raiser unknown, before 1913. Reddish bronze. (Breeder) Historical collections only.

'Vulcano' Triumph Group
Sport of **'Abra'**
Huiberts-Veul, 1985. Exterior blood red, on outer tepals a dull currant red flame, tepals with narrow lemon yellow edge, outer base with canary yellow blotches; inside feathered blood red fading to a lemon yellow edge, base aureolin, anthers dark purple.
Height 35 cm

'Vuurbaak' Double Early Group
'Fire Dome'
C. Alkemade Azn., 1890. Scarlet. (2n = 24)
Height 30 cm
Sport: (**'Gerry Baldy'**), (**'Gracious'**)

'Vuurvlam' Single Early Group
Raiser unknown, before 1897. Deep cerise. Historical collections only.

vvedenskyi Botschantz. Miscellaneous
Central Asia: W. Tien Shan, Kirgiz Alatau. Light scarlet to orange with a yellow or brownish base with yellow margin. Leaves always glaucous. (2n = 24)
Height 25 cm

vvedenskyi Botschantz. **'Tangerine Beauty'** Miscellaneous
Visser Czn., 1980. Exterior bright fire red with spanish orange flame, inner tepals with lemon yellow basal blotches; inside bright capsicum red, grey brown and lemon yellow basal blotches, anthers purple.
Height 25 cm
TGA-KAVB 1980

'Wadway' Triumph Group
IVT, Vlaar & Sons, 1990. Exterior from the base plum purple (CC 79d), changing to magenta rose (CC 64b) with lilac purple (C 70b) margins. Base mimosa yellow (CC 8d). Inside beetroot purple (CC 71c/d), with towards the base greenish white (CC 157d) and vague cornflower blue (CC 95b) rim, base canary yellow (CC 9a/b). Pollen sulphur yellow (CC 6d). Ovary yellow green (CC 145a), stigma sap green (CC 150d).
Height 50 cm

'Wageningen' Triumph Group
IVT, G.H. van Went & Sons, 1981. Exterior blood red, flamed dull cardinal red,

small aureolin edge; inside blood red to currant red with canary yellow edge, base lemon yellow, anthers bluish black.
Height 50 cm

'Wagram' (Darwin Group) see Classified List 1958

'Waldteufel' (Kaufmanniana Group) see Classified List 1958

'Wallflower' Single Late Group
Nicolaas Dames. Purple brown with yellow base. Multiflowered. (2n = 24)
Height 50 cm

'Wall Street' Single Late Group
F. Roozen. Lemon yellow. (2n = 24)
Height 55 cm
AM-RHS 1931, AM-KAVB 1931, FA-KAVB 1939
Sport: **'Bond Street'**

'Walt Disney' (Darwin Group) see Classified List 1958

'Walter P. Chrysler' (Triumph Group) see Classified List 1958

'Walter Scheel' PBR Triumph Group
IVT, Th. Timmerman, 1978. Exterior flamed barium yellow with canary yellow edge; inside bright canary yellow, anthers lemon yellow.
Height 50 cm

'Waltz' (Fosteriana Group) see Classified List 1958

'Wanda Toscanini' PBR Triumph Group
Konijnenburg & Mark, 1988. Exterior orient red (CC 42a) with on the outer tepals cardinal red (CC 53b) flame. Star shaped chartreuse green (CC 1b/c) base. Inside orient red (CC 42a). Base star shaped, chartreuse green (CC 1a) with deep grey blue (CC 116a) edge and spots. Filaments primrose yellow (CC 2b/c).
Height 50 cm
TGA-KAVB 1988

'Wapen van Leiden' Single Early Group
Raiser unknown, 1760. Deep rose and white, flamed yellow on back. Historical collections only.

'Warbler' PBR Fringed Group
Segers Bros., W.A.M. Pennings, 1987. Exterior bright lemon yellow (CC 13b). Inside bright lemon yellow (CC 14b). Anthers lemon yellow. Strongly fringed tepals.
Height 45 cm
TGA-KAVB 1987

'Warflame' (Parrot Group) sport of **'Fantasy'**, see Classified List 1958

'Warmunda' (Triumph Group) see Classified List 1958

'Washington' Triumph Group
Sport of **'Golden Melody'**
J. Lighthart, 1981. Exterior aureolin with variable short blood red flame; inside canary yellow with variable blood red flamed veins, base maize yellow, anthers greenish yellow.
Height 55 cm

'Washington' (Bizarre Group) see Classified List 1958

'Waterloo' Single Early Group
'Belle Alliance'
Raiser unknown, 1860. Scarlet. Historical collections only.

'W. Atlee Burpee' (Fosteriana Group) see Classified List 1958

'Watson' (Cottage Group) see Classified List 1958

'Weber' Triumph Group
Krelage & Son, 1928. White, edged rosy lilac. (2n = 24)
Height 45 cm
Sports: **'Athleet'**, (**'Governor's Joy'**), **'Weber's Parrot'**

'Weber's Parrot' Parrot Group
Sport of **'Weber'**
Van Graven Bros., 1968. Ivory white, roseine purple to the edges, anthers yellow.
Height 40 cm

'Wedding Robe' (Rembrandt Group) broken **'Wedding Veil'**, see Classified List 1958

'Wedding Veil' (Darwin Group) see also **'Wedding Robe'**, see Classified List 1948

'Weigel' (Rembrandt Group) see Classified List 1958

'Weight Watchers' Triumph Group
Konijnenburg & Mark, 1994. Exterior close to chrysanthemum red (CC 60b). Base ivory white (CC 155d). Inside cardinal red (CC 53b/c), ivory white (CC 155d) base with some chartreuse green (CC 154d). Base bordered plum purple (CC 79b). Filaments ivory white (CC 155d), top deep sea blue (CC 103a). Pollen black brown (CC 200a); ovary yellow green (CC 145a), stigma chartreuse green (CC 154c/d). Stem scheele's green (CC 144b), leaves fern green (CC 146a).
Height 50 cm

'Weihe' (Rembrandt Group) see Classified List 1958

'Weisse Berliner' Triumph Group
J.F. van den Berg & Sons, De Geus, 1984. Exterior ivory white with a barium yellow flame; inside creamy white, basal blotches barium yellow, anthers yellow. Multiflowered.
Height 50 cm

'Weissenbruch' Double Early Group
Sport of **'Murillo'**
Van Reisen & Sons, 1960. Neyron rose and creamy white, base deep yellow.
Height 25 cm

'Weisses Rössl' (Triumph Group) see Classified List 1987

'Well Done' Triumph Group
Nieuwenhuis Bros., 1963. Exterior spiraea red, lighter to the edge; inside madder red, base white, edged blue, anthers greenish yellow.
Height 55 cm
HC-RHS, 1970, AM-RHS 1977

'Wembley' Triumph Group
Krelage & Son, before 1928. Dull solferino red. Historical collections only.

'Wendy' Fringed Group
Segers, 1974. Exterior delft rose, edged nasturtium red with crystalline pale nasturtium red coloured fringe; inside capsicum red on yellowish ground, base bluish green, anthers purple.
Height 50 cm

'Wenowah' (Greigii Group) see Classified List 1958

'West-End' (Cottage Group) see Classified List 1958

'Westerhout' (Darwin Group) see Classified List 1958

'Western Lady' (Triumph Group) see Classified List 1958

'West Fries' (Darwin Group) see Classified List 1958

'West Frisia' Double Late Group
J.F. van den Berg & Sons., J.A. Borst & Sons, 1978. Exterior flamed dull delft rose with bright buttercup yellow edge, inner tepals flamed glowing blood red, small green yellow outer base; inside blood red with broad buttercup yellow edge, base bright canary yellow, anthers bluish black.
Height 40 cm

'Westland' (Single Early Group) sport of **'Cramoisi Brillant'**, see Classified List 1958

'Westminster Abbey' (Breeder Group) see Classified List 1958

'West Point' Lily-flowered Group
De Mol & A.H. Nieuwenhuis, 1943. Primrose yellow. Fragrant. (2n = 24)
Height 50 cm
HC-RHS 1982, AGM-RHS 1995

'Whiskey' Greigii Group
P. Hopman & Sons, 1967. Exterior signal red, edged primrose yellow; inside primrose yellow, base deep brown on yellow, anthers pale yellow. Laeves mottled.
Height 30 cm

'Whisper' Kaufmanniana Group
Hybrida, 1955. Exterior carmine, edged white; inside white fading to pink, base black, edged red.
Height 30 cm
TGA-KAVB 1973

'Whistler' Single Late Group
Krelage & Son, before 1892. Vermilion scarlet. (Darwin) Historical collections only.

'White Angel' (Mendel Group) sport of **'Delice'**, see Classified List 1958

'White Ash' (Darwin Group) see Classified List 1958

'White Bartigon' (Darwin Group) sport of **'Pink Attraction'**, see Classified List 1958

'White Beauty' Single Early Group
Sport of **'Pink Beauty'**
Raiser unknown, 1895. White. Historical collections only.

'White Beauty' (Triumph Group) see Classified List 1987

'White Cascade' PBR Triumph Group
Hybris, Boeket, 1992. Exterior primrose yellow (CC 4d) to ivory white (CC 155a). Inside ivory white (CC 155a), base primrose yellow (CC 4d). Filaments ivory white (CC 155d), near the top canary yellow (CC 7c). Pollen barium yellow (CC 10a). Ovary scheele's green (CC 144b), stigma chartreuse green (CC 154c). Stem lettuce green (CC 144a), near the base with some anthocyanin. Leaves fern green (CC 146a).
Height 45 cm

'White Christmas' Single Early Group
IVT, Westfriese Bloembollenkwekers, 1991. Exterior greenish white (CC 157c/d), on the outer tepals a primrose yellow (CC 2d) flame. Base aureolin (CC 12c). Inside greenish white (CC 157d). Base canary yelow (CC 9b). Filaments canary yellow (CC 9b), pollen barium yellow (CC 10b). Ovary brownish grey (CC 197c), stigma sap green (CC 150b).
Height 30 cm

'White Church' (Triumph Group) see Classified List 1958

'White City' Single Late Group
'Mount Erebus'
Tubergen. White, anthers yellow. (2n = 24)
Height 60 cm
AM-KAVB 1932, FCC-KAVB 1933

'White Cliff' (Triumph Group) see Classified List 1958

'White Cross' (Lily-flowered Group) see Classified List 1958

'White Crown' see **'Elegans Alba'**

'White Dream' Triumph Group
J.F. van den Berg & Sons, J.A. Borst, 1972. Exterior ivory white, anthers canary yellow.
Height 50 cm
Sports: **'Crème King'**, **'Mont Ventoux'**

'White Duchess' (Lily-flowered Group) see Classified List 1958

'White Eagle' (Cottage Group) see Classified List 1958

'White Elegance' Lily-flowered Group

De Geus-Vriend, 1993. Exterior: base canary yellow (CC 9c) fading into ivory white (CC 155a) tepal. Outer tepals with primrose yellow (CC 2d) midvein from base to top with some greenish grey (CC 188a) and tawny yellow (CC 162b). Inside ivory white (CC 155a), base canary yellow (CC 9a). Filaments canary yellow (CC 9a), pollen aureolin (CC 12b). Ovary yellow green (CC 145a/b), stigma canary yellow (CC 7a). Tepals acuminate. Stem lettuce green (CC 144a), leaves fern green (CC 146a).
Height 35 cm

'White Emperor' see **'Purissima'**

'White Ensign' (Lily-flowered Group) see Classified List 1958

'White Excelsior' (Single Early Group) see Classified List 1958

'White Falcon' see **'White Hawk'**

'White Fire' Greigii Group

P. van Ruiten, 1990. Exterior sap green (CC 150d), on the outer tepals currant red (CC 47b) spotted. Base lemon yellow (CC 13b). Inside chartreuse green (CC 1d). Base aureolin (CC 12a). Pollen aureolin (CC 12a/b). Ovary scheele's green (CC 143c), stigma chartreuse green (CC 1b). Leaves long, acuminate, green with striped margin.
Height 30 cm

'White Flight' PBR not yet KAVB registered

'White Gem' (Mendel Group) see Classified List 1958

'White Giant' (Single Late Group) see Classified List 1987

'White Glory' (Darwin Group) see Classified List 1958

'White Grace' (Mendel Group) sport of **'Her Grace'**, see Classified List 1958

'White Hall' (Double Late Group) see Classified List 1958

'White Happiness' (Mendel Group) see Classified List 1958

'White Hawk' Single Early Group

'White Falcon', *'Witte Valk'*
Raiser unknown, introduced before 1900. White. Historical collections only.
Sports: **'Cullinan'**, **'Ibis'**, **'Flamingo'**, (**'King of Hawks'**), (**'Love Bird'**), **'Madame Gevers'**, **'Pelican'**, **'Princess Juliana'**, **'Progression'**

'White Heather' Triumph Group
Sport of **'Zimmerman'**
P. Hopman & Sons, before 1948. Creamy white. Historical collections only.

'White Hope' (Triumph Group) see Classified List 1987

'White House' Triumph Group
J.F. van den Berg, 1943. Pure white.
Height 40 cm

'White Ideal' PBR Triumph Group
Hybris, 1988. Exterior ivory white with primrose yellow (CC 4d) glow; stronger on the basal half of tepals. Basal half vaguely sea blue (CC 102d) and methyl violet (CC 85a) striped. Inside ivory white (CC 155c) to primrose yellow (CC 4d) with translucent edged midvein. Base canary yellow (CC 7c). Anthers naples yellow (CC 11a).
Height 40 cm
TGA-KAVB 1988

'White Imperator' (Triumph Group) see Classified List 1958

'White King' PBR not yet KAVB registered

'White Knight' (Darwin Group) see Classified List 1958

'White Lady' (Double Late Group) see Classified List 1958

'White Leader' (Darwin Group) see Classified List 1958

'White Mary' (Mendel Group) sport of **'Rose Marie'**, see Classified List 1958

'White Midget' Triumph Group
Vertuco, Van Dam and Veul Bros., 1992. Exterior primrose yellow (CC 2d/4d) with ivory white (CC 155c) margins. Inside ivory white (CC 155d) to primrose yellow (CC 4d). Base dresden yellow (CC 5d). Filaments ivory white to primrose yellow. Pollen sulphur yellow (CC 6c).Ovary scheele's green (CC 144b), stigma sap green (CC 150b/c).
Height 35 cm

'White Parrot' Parrot Group
Sport of **'Albino'**
Valkering & Sons, 1943. Pure white. (2n = 24)
Height 40 cm

'White Peak' Single Late Group
Khondyrev, 1993. White, anthers yellow. Some resemblance to the Lily-flowered Group.
Height 70 cm

'White Pearl' Double Late Group
H. Roozen Nicz, 1987. Exterior scheele's green (CC 143c) flame on barium yellow (CC 10b) ground with broad white margin. Inside ivory white to yellowish white. Outer tepals greenish veined.
Height 45 cm

'White Queen' Double Early Group
Sport of **'Murillo'**
G.H. Rotteveel & Son, 1969. White with a dark yellow base, anthers yellow.
Height 25 cm
TGA-KAVB 1969, AM-KAVB 1970, FCC-KAVB 1973

'White Queen' Single Late Group
'La Candeur'
Krelage & Son, before 1892. Blush white. Historical collections only.

'White Rock' (Darwin Group) see Classified List 1958
Sport: (**'Beaumaris Beauty'**)

'White Sail' Triumph Group
Krelage & Son, 1930. Creamy white. (2n = 24)
Height 35 cm
Sports: **'Anelias'**, **'Artless'**, **'Beauty of Volendam'**, **'Purple Sail'**, **'Striped Sail'**, **'Sulphur Cloud'**

'White Sea' Fosteriana Group
Sport of **'Salut'**
Job van der Pol, 1994. Exterior straw yellow (CC 13c), fading towards the top into ivory white (CC 155a). Outer tepals with cardinal red (CC 53c) near the midvein. Inside lemon yellow (CC 14a), fading towards the top via paler lemon yellow (C 15b) into ivory white (CC 155a). Filaments and anthers lemon yellow (CC 14a). Ovary and stigma scheele's green (CC 144c). Stem scheele's green (CC 144c/d), top anthocyanin; leaves spinach green (CC 137b).
Height 30 cm

'White Standard' (Darwin Group) see Classified List 1958

'White Superior' (Triumph Group) see Classified List 1987

'White Surprise' (Triumph Group) sport of **'Kerbert'**, see Classified List 1958

'White Swallow' Triumph Group
Bik, Jac. Tol, 1975. Exterior ivory white with a creamy flame; inside white, anthers canary yellow.
Height 50 cm
TGA-KAVB 1975
Sport: **'Golden Future'**

'White Swan' Single Early Group
Raiser unknown 1890. White. (2n = 24)
Height 30 cm

'White Triumphator' Lily-flowered Group
Tubergen, 1942. Pure white. (2n = 24)
Height 60 cm
HC-RHS 1982, AGM-RHS 1995
Sports: **'Latona'**, **'Lavinia'**

'White Trophy' (Lily-flowered Group) see Classified List 1958

'White Virgin' Triumph Group
Krelage & Son, 1932. White, yellow base. (2n = 24)
Height 45 cm

'White Wings' Lily-flowered Group
Sport of **'Marilyn'**
Verbruggen, 1995. Exterior ivory white (CC 155a), edged paler (CC 155d). Variable from tepal to tepal, dark indian lake (CC 187c & d) blush or stipes from base to top, occasionally chrysanthemum red (CC 60a) stripes. Inside ivory white (CC 155a), edged darker (CC 155b). Filaments ivory white (CC 155b), pollen aureolin (CC 12b). Ovary scheele's green (CC 143c), stigma chartreuse green (CC 1d). Stem scheele's green (CC 143c), leaves spinach green (CC 137b). Multiflowered.
Height 60 cm

'White Wings' (Lily-flowered Group) see Classified List 1958

'White Wonder' (Double Late Group) see Classified List 1958

'White Zimmerman' (Triumph Group) sport of **'Zimmerman'**, see Classified List 1958

'Whitsun Flame' (Cottage Group) see Classified List 1958

whittallii (Dykes) A.D. Hall Miscellaneous
orphanidea Boiss. ex Heldr. var. *whittallii* Dykes
Described 1929: W. Turkey. Inner segments bright orange, with a dark round basal blotch, margined with a lighter colour, backs of outer segments green and buff, anthers almost black. Regarded by some authors as synonym of **orphanidea** which should be treated as synonym. (2n = 48)
Height 30 cm
AM-RHS 1970

'Whocky' (Cottage Group) sport of **'Advance'**, see Classified List 1958

'Wibo' Triumph Group
Sport of **'Prominence'**
J. de Wit & Sons, 1968. Exterior primrose yellow (CC 4c/d) with vague purple red (CC 184d) flame, stronger on the inner tepals. Base bluish green (CC 122c). Inside primrose yellow (CC 4c/d) with sulphur yellow (CC 6c) towards the base. Base variable deep sea blue (CC 103a) or pale yellow. Pollen variable deep grey blue (CC 116b) or pale yellow. Ovary yellow green (CC 145b), stigma sap green (CC 150d). Starts flowering with blush or flame, which fades away with maturation.
Height 40 cm
Sport: **'Jambalaya'**

'Widar' (Triumph Group) see Classified List 1987

'Wienerwald' Triumph Group
Zandvoort, 1971. Ruby red with a tint of indian lake, narrow white margin, base green yellow, anthers purple.
Height 50 cm

'Wiener Walzer' PBR Greigii Group
P. Hopman & Sons, 1975. Primrose yellow with carmine red spots, anthers light yellow. Leaves mottled. (2n = 24)
Height 30 cm

'Wijnanda' (Greigii Group) see Classified List 1987

'Wilberforce' Single Late Group
Van der Vinne, before 1913. Orange salmon, shaded with cherry outside. (Breeder) Historical collections only.

'Wildhof' Triumph Group
L.A. Hoek, 1947. Pure white.
Height 45 cm
AGM-RHS 1995

'Wildlust' see **'Glacier'**

'Wild West' (Triumph Group) see Classified List 1958

'Wilhelm Kordes' Double Early Group
Sport of **'Maréchal Niel'**
Segers, 1943. Cadmium orange, flamed adrianople red. (2n = 24)
Height 25 cm
AM-KAVB 1943, TGA-KAVB 1947

'Wilhelm Tell' (Single Late Group) see Classified List 1987

'Willard Wickers' Single Late Group
Fr. Roozen, 1989. Exterior rose bengal (CC 57d) with delft rose (CC 47c) striped flame. Margins spiraea red (CC 63c) with darker feather (CC 63b). Inner tepals rhodonite red (CC 51c/d) with phlox pink (CC 62d) midvein. Small ivory white (CC 157d) base, spotted greenish grey (CC 188d). Inside crimson (CC 52a) with especially on the outer tepals neyron rose (CC 55d) spots. Inner tepals with ivory white (CC 155c) midvein. Base round, cornflower blue (CC 95b) with vague primrose yellow (CC 4d) spots. Filaments moorish blue (CC 93a); anthers plum purple (CC 79a).
Height 60 cm
TGA-KAVB 1988

'Willem Barendz' (Cottage Group) see Classified List 1958

'Willem de Mérode' (Darwin Group) see Classified List 1958

'Willem de Zwijger' *'William the Silent'* (Breeder Group) see Classified List 1958

'Willem Hageman's Memory' Kaufmanniana Group
Tubergen, 1952. Exterior purple red. Inside vermilion , base golden yellow.
Height 25 cm

'Willem Hopman' Triumph Group
P. Hopman & Sons, 1944. Glowing bluish purple, edged silvery white. (2n = 36)
Height 50 cm

'Willem III' Double Early Group
Raiser unknown, before 1893. Scarlet. Historical collections only.

'Willem van Oranje' Double Early Group
Sport of **'Peach Blossom'**
P. Bakker Mz. Orange, flushed coppery red. (2n = 24)
Height 25 cm
AM-KAVB 1933

'Willemina van der Velden' (Single Late Group) see Classified List 1987

'Willemsoord' Double Early Group
Sport of **'Electra'**
Paul Roozen, 1930. Carmine and white. (2n = 24)
Height 25 cm
Sport: **'Jan W. van Reisen'**

'William and Mary' Lily-flowered Group
Hybris, K. van Bourgondiën, 1989. Exterior dresden yellow (CC 5d). Inside primrose yellow (CC 2b) to dresden yellow (CC 4b). Basal blotches primrose yellow (CC 3a/b). Pollen mimosa yellow (CC 8a). These colours change as follows when maturing: exterior primrose yellow (CC 4d) with ivory white (CC 155b) margins. Top half of tepals with fuchsia purple (CC 67c) glow. Inside primrose yellow (CC 4d) with vague fuchsia purple (CC 67b) glow along the margins. Pollen aureolin (CC 12b).
Height 50 cm

'William Copland' Single Late Group
'Sweet Lavender'
Krelage & Son, 1891. Pale magenta. (2n = 24)
Height 45 cm
AM-KAVB 1910
Sports: (**'Copland's Parrot'**), **'Copland's Purple'**, **'Copland's Rival'**, **'Rose Copland'**

'William Copland Rose' see **'Rose Copland'**

'William Penn' (Darwin Group) see Classified List 1958

'William Pitt' Single Late Group
Krelage & Son, 1891. Cochineal red. (2n = 24)
Height 60 cm
Sports: **'Malta'**, **'Red Pitt'**, (**'Rose Pitt'**), (**'Pitt's Parrot'**)

'William Sim' (Darwin Group) see Classified List 1958

'William the Silent' see **'Willem de Zwijger'**

willmottiae Freyn Miscellaneous
Described 1900: Anatolia. Lemon yellow, blue black basal blotch, anthers yellow.

'Willy Wong' Triumph Group
H.C. Kooiman, 1992. Exterior near the midvein currant red (CC 46a) fading into blood red (CC 45a) at the margin. Base canary yellow (CC 7d). Inside from canary yellow (CC 9a) with some willow green (CC 147a) base changing into currant red (CC 46a) and into blood red (CC 45a) at the top. Filaments and pollen black brown (CC 200a). Ovary lemon yellow (CC 151d), stigma chartreuse green (CC 154d). Stem lettuce green (CC 144a), leaves fern green (CC 146a). Multiflowered.
Height 35 cm

'Wilma' Triumph Group
Sport of **'Palestrina'**
C. Koppes, 1986. Exterior flamed roseine purple on nasturtium red ground, outer tepals with an orange tinted flame, tipped green; inside signal red to vermilion, outer tepals tipped spanish orange, base primrose yellow with green basal blotches.
Height 40 cm

wilsoniana Hoog Miscellaneous
Described 1902: Central Asia: mountains of Turkmenistan. Deep blood red, reverse of outer tepals tinged purple, base black without margin. Top of tepals pointed. Regarded by some authors as a synonym of **montana** Lindl. (2n = 24)
Height 15 cm
AM-KAVB 1932

'Wim van Est' Single Late Group
Segers, 1952. Rosy red. (2n = 24)
Height 60 cm
Sport: **'Charlotte'**

'Wimbledon' Triumph Group
J.F. van den Berg & Sons, 1975. Blood red with an orange margin, base veined fern green on yellow, anthers deep purple.
Height 50 cm

'Windmill' Lily-flowered Group
Sport of **'Mariette'**
C.N. van Kooten, 1974. Mimosa yellow, variable narrow pink ribs on all tepals on both sides; fading to whitish, anthers barium yellow.
Height 55 cm

'Windsor' (Darwinhybrid Group) see Classified List 1958

'Winifred Attwell' (Triumph Group) sport of **'Nivea'**, see Classified List 1958

'Winnetou' Single Late Group
Rijnveld & Sons, 1939. Magenta, edged bronzy orange. (Breeder) Historical collections only.

'Winsome' (Cottage Group) see Classified List 1958

'Winston Churchill' (Darwin Group) see Classified List 1958

'Winterberg' Triumph Group
Sport of **'Prominence'**
A.W. Bos, 1985. Exterior flamed primrose yellow on yellowish white ground; inside glowing primrose yellow, lemon yellow basal blotches. The most white sport of **'Prominence'**, starts paler cream coloured flowering than **'Romance'**. When forced not distinguishable from **'Romance'**.
Height 40 cm

'Winter Gem' (Mendel Group) see Classified List 1958

'Wintergold' Single Early Group
O. Huiberts, 1942. Deep lemon yellow. Eggshaped. (2n = 24)
Height 35 cm
EFA-KAVB 1948
Sport: **'Mickey Mouse'**

'Winter Joy' (Triumph Group) see Classified List 1987

'Winterpride' (Triumph Group) see Classified List 1958

'Winter Queen' Triumph Group
Jac. Uitenbogaard & Sons, 1952. Creamy yellow.
Height 35 cm
Sport: **'Winter Joy'**

'Wirosa' Double Late Group
P. & J.W. Mantel, 1949. Wine red, edged cream.
Height 35 cm
AGM-RHS 1995
Sports: **'Double Focus'**, **'Pink Star'**

'Wisconsin' Triumph Group
Zocher & Co. Magenta red, flushed white. (2n = 24)
Height 40 cm